


Industria











ULTIMATE GRIP PRIMER

An adhesion promoter that provides the perfect preparation for difficult substrates that require painting



- Advanced clear adhesion promoter
- Excellent adhesion to many problem substrates
- Tested on most plastics, glass, porcelain and stainless steel
- To be overcoated after 10 minutes and before 1 hour
- Provides a 'nano' layer, with zero build

Suitable substrates:

√i

GLASS

CERAMICS

 $\overline{\mathsf{V}}$

ALUMINIUM

UPVC

STAINLESS STEEL

Code: INDUGP500





ANTI CORROSION PRIMER

A heavy duty primer to protect metal substrates from corrosion by guarding against moisture penetration



- Provides 400 hours salt spray resistance
- Excellent moisture ingress protection
- Super smooth finish can be applied wet on wet
- Overcoat after 30 minutes
- Available in grey or red oxide finish

Suitable substrates:

 $\overline{\mathsf{V}}$

GALVANISE

V

MILD STEEL



ALUMINIUM

Code: INDGP500 (GREY)
Code: INDRO500 (RED OXIDE)





RAPID ZINC RICH PRIMER

A zinc primer that combines rapid drying time with outstanding cathodic protection when fast on-site repairs are required



- Perfect for on-site spot repairs
- 85% pure zinc content in dry film
- Overcoat after 5 minutes
- Temperature resistant to 350°C
- 700 hours salt spray resistance

Suitable substrates:

RAILS

BARRIERS

V

STEPS

CAGES

Code: INDZRF500







Perfect coating for the repair of old galvanised steel providing a great finish and protection in one aerosol



- Ultimate cathodic protection of bare or galvanised steel
- Matches old zinc galvanising
- 90% pure zinc content in dry film
- Provides 1000 hours salt spray resistance
- Overcoat after 30 minutes
- Temperature resistant to 350°C

Suitable substrates:

V

RAILS

abla

BARRIERS

STEPS

CAGES

Code: INDZR500







A repair spray that is designed to maintain the protective qualities of new galvanise when it has been cut or welded



- Matches new zinc galvanising
- High quality and fast drying
- Resistant to petrol, chemicals and weather influences
- Provides 500 hours salt spray resistance
- Weld-through
- Temperature resistant to 350°C

Suitable substrates:

DUCTING

M&E CHANNEL SUPPORT

GIRDERS

ROOFING SYSTEMS

Code: INDAZ500







High gloss topcoat that gives outstanding protection as well as the needed appearance



- High quality acrylic finish
- Very resistant to weathering and UV influences
- Overcoat after 10 minutes
- Outstanding opacity less coats and time required
- Excellent adhesion to many substrates
- Available in over 40 RAL colours
- Pipeline and safety colours
- Agricultural colours

Suitable substrates:

V| |

PLANT

CONSTRUCTION

FABRICATION

CLADDING

AGRICULTURE

Code: IND- (FOLLOWED BY RAL CODE)





HIGH TEMPERATURE TOPCOAT

Ultimate protection at temperatures up to 800°C



- For treated and untreated surfaces exposed to very high temperatures
- Suitable for use on flues and pipework
- Can be sprayed onto bare metal without priming first
- Excellent adhesion to to steel, mild steel and aluminium
- Good coverage and filling properties
- Heat resistant to 800°C

Suitable substrates:

Vi

STOVES & FLUES

EXHAUSTS

PIPEWORK

FURNACES

Code: INDHT400S (SILVER) Code: INDHT400B (BLACK) Code: INDHT400C (CLEAR)





PIPELINE COLOURS



8001 Ochre Brown
LIQUID SPIRITS
Re-Order Code: INDSPIRITS

9006 Silver White STEAM Re-Order Code: INDSTEAM



9005 Pure Black (G,S,M)
OTHER LIQUIDS
Re-Order Code: INDLIQUID



6010 Grass Green WATER Re-Order Code: INDWATER

SAFETY COLOURS



5005 Signal Blue SAFE PLACE Re-Order Code: INDSAFE







5012 Light Blue FRESH WATER Re-Order Code: INDFRESHWATER

AGRICULTURAL COLOURS









AGRICULTURAL COLOURS



Re-Order Code: INDKOBE-AQUA



AGRICULTURAL COLOURS



INDUSTRIAL RAL COLOURS





INDUSTRIAL RAL COLOURS

